

Phone: 800-843-1004 / Fax: 479-968-7986 / Visit us at Innovationind.com



- Ray Buford - Ray.Buford@innovationind.com - extension 622
- Anthony Keeling - Anthony.Keeling@innovationind.com - extension 626
- Cathy Storment - Cathy.Storment@innovationind.com - extension 662
- Cody Bird - Cody.Bird@innovationind.com - extension 656
- Jake Tyler - Jake.Tyler@innovationind.com - extension 674
- Jeremy McBride - Jeremy.McBride@innovationind.com - extension 632
- Joseph Grant - Joseph.Grant@innovationind.com - extension 669
- Josh Harrell - Josh.Harrell@innovationind.com - extension 671
- Josh McLeland - Josh.McLeland@innovationind.com - extension 618
- Keith Mainhart - Keith.Mainhart@innovationind.com - extension 648
- Michael James - Michael.James@innovationind.com - extension 632
- Suzanne Day - Suzanne.Day@innovationind.com - extension 655
- Travis Riggs - Travis.Riggs@innovationind.com - extension 685

From: _____

Company: _____

Phone: _____

Fax: _____

e-mail: _____

Project Name: _____

Project Location: _____


Please Provide Pricing By: _____

Project Overview

Car No(s):			
Operation: <input type="checkbox"/> Simplex <input type="checkbox"/> Duplex <input type="checkbox"/> Group			
No. of Hall Station Risers:		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	
Floor Designations			
Floor Marking	Main Egress Level	Front Opening	Rear Opening
Floor Marking	Main Egress Level	Front Opening	Rear Opening

Fire Service	
Key	ASME / ANSI Code
<input type="checkbox"/> EX-515	<input type="checkbox"/> 1996 <input type="checkbox"/> 2013
<input type="checkbox"/> FEO-K1	<input type="checkbox"/> 1998 <input type="checkbox"/> 2016
<input type="checkbox"/> MFD-1	<input type="checkbox"/> 2000
<input type="checkbox"/> BFD-1	<input type="checkbox"/> 2002
<input type="checkbox"/> AZFS	<input type="checkbox"/> 2004
<input type="checkbox"/> SC1000	<input type="checkbox"/> 2005
<input type="checkbox"/> Yale 3502	<input type="checkbox"/> 2007
<input type="checkbox"/> Yale 2642	<input type="checkbox"/> 2008
<input type="checkbox"/> Yale 255	<input type="checkbox"/> 2009
<input type="checkbox"/> LA-UEK	<input type="checkbox"/> 2010
<input type="checkbox"/> Florida Region: _____	
Other: _____	Other: _____

Voltage	
_____ Volts	<input type="checkbox"/> AC <input type="checkbox"/> DC

Pushbutton Style	
Innovation Pushbutton PB - _____	
<i>Please see our web-site for pushbutton options</i>	

Pushbutton Illumination (LED Standard)		
<input type="checkbox"/> Amber	<input type="checkbox"/> Red	<input type="checkbox"/> Blue
<input type="checkbox"/> White	<input type="checkbox"/> Green	<input type="checkbox"/> None

Controller		
<input type="checkbox"/> KONE ReSolve	<input type="checkbox"/> Virginia Controls	<input type="checkbox"/> MCE
<input type="checkbox"/> Schindler TXR-5	<input type="checkbox"/> Elevator Controls	<input type="checkbox"/> Smartrise
<input type="checkbox"/> Schindler HX	<input type="checkbox"/> GAL GALaxy	<input type="checkbox"/> VMI
<input type="checkbox"/> Other: _____		
Does your controller have the C.E. Electronics MCCA encoder board included?		
<input type="checkbox"/> Yes <input type="checkbox"/> No		
Will your controller have serial or discrete inputs for your car and / or hall lanterns?		
<input type="checkbox"/> Discrete <input type="checkbox"/> Serial		
Will you want Innovation to prewire these fixtures per your controller wiring diagram		
<input type="checkbox"/> Yes <input type="checkbox"/> No		

Car Station Type - Car(s):

Main Auxiliary

Car Station Design

Applied (cover plate w/ beveled edge + box)

Hairline Joint (cover plate w/o beveled edge + box)

Sub-Plate (to be mounted behind new swing return)

Swing Return (with dust cover / without dust cover) ★

Dover Mini-Swing ★

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Hinging

Standing inside car looking out door, car station is located on....

Left Side Right Side

Hands Free Phone

Wurtec K-Tech Rath

Other: _____

Mounted inside cabinet

Mounted Integral with faceplate

Phone provided by: Innovation Customer

Braille

None

Square

Round

Oval

Run - Stop

Push - Pull

Keypress

Toggle

In Svc Cab

Fire Service

Per Code

None Required

Digital Position Indicator

Dot Matrix 1" Characters

16 Segment 2" Characters

Pushbuttons

Alarm Up / Down Non-Stop "S" (Audible Signal)

Door Open / Close Up / Down (in Svc. Cab) Non-Stop (in Svc. Cab)

Door Open / Close Rear Door Hold E-Light Test (in Svc. Cab)

Keystwitches & Toggles

Keystwitches Toggles Locate in Service Cabinet

Light Independent Service Motor Generator (MG) Code Blue

Fan ____ Speed Inspection Emerg. Light Test EMT

Light / Fan ____ Speed Access Enable Emergency Service Other: _____

Attendant Photoeye Hospital Service _____

Floor Lockouts at level(s): _____

Indicators

Code Blue Emergency Service Up / Down Other: _____

Motor Generator (MG) Hospital Service Up / Down (in Svc. Cab) _____

Engraving or Inlaid Plates

Engraving Plates

Capacity _____ LBS

Elevator No. _____

Company Name or Logo

No Smoking Wording

No Smoking Symbol

No. of Passengers

Certificate of Inspection on File in Building Office

Phase II Fire Service Instructions

Options

Service Cabinet Phone Cabinet

Emergency Light Certificate Window

Floor Pass Signal Nudging Buzzer

Phone Jack Prewire

Multi-Light PI Voice Annunciator

Provisions for Customer Supplied Intercom

Provisions for Customer Supplied Card Reader

Medical Emergency Flashing Sign

110 VAC GFI Outlet in Service Cabinet

Dimmer Switch in Service Cabinet

Existing Conditions

Panel Width: _____ Return Width: _____

Panel Height: _____ Return Height: _____

Top of Panel: _____ AFF Return Depth: _____

Bottom of Panel: _____ AFF

AFF = Above Finished Floor

★ Please be advised that you must complete the Swing Return Survey Sheets prior to requesting approval drawings.

Additional information concerning this car station is shown on the NOTES page.

Hall Stations

Hall Station Design	
<input type="checkbox"/>	Standard Size Flush Mount
<input type="checkbox"/>	Oversized Flush Mount
<input type="checkbox"/>	I-Line Surface Mount (Straight Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line PH Surface Mount
<input type="checkbox"/>	I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Digital Position Indicator <i>in Hall Stations</i>		
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters	<input type="checkbox"/> .50" Characters <small>(.50" Available in Segmented only)</small>
<input type="checkbox"/> 16 Segment	<input type="checkbox"/> 2" Characters	
<input type="checkbox"/> Digital PI's required in ALL hall stations		
<input type="checkbox"/> Digital PI's required at SPECIFIC LEVELS ONLY		

<i>(List Specific Levels Here)</i>		

Braille	
<input type="checkbox"/> None	<input type="checkbox"/> Square <input type="checkbox"/> Round <input type="checkbox"/> Oval

Options	
<input type="checkbox"/>	Need SEPARATE hoistway access stations - with faceplates
<input type="checkbox"/>	Need SEPARATE hoistway access stations - coverless
<input type="checkbox"/>	ANSI 2009-10 Elevator Communication Failure / Phone Line Verification feature required.
<input type="checkbox"/>	ANSI 2008 Two Way Communication feature (intercom) provisions required. <i>Intercom provided and installed by customer. Innovation providing mounting provisions only.</i>

Serving Cars					
	Terminal or Intermediate	Terminal	Terminal	Intermediate	Intermediate
Quantity Each					
At Level(s)					
"UP" Pushbutton					
"DOWN" Pushbutton					
"CALL" Pushbutton					
"IN USE" Indicator					
Access Keyswitch (Advise Qty)					
Fire Service Keyswitch					
Fire Service Indicator					
Emergency Power Keyswitch					
Emergency Power Indicator (Advise Qty)					
Door Open Pushbutton					
Door Close Pushbutton					
Door Hold Pushbutton					
Appendix H or O Pictograph per local code					
Phase I Fire Service Instructions (engraved)					
Phase I Fire Service Instructions (insert)					
Man & Stairs Pictograph					
"Do Not Use Elevators" Wording					
Medical Emergency Flashing Sign					

Existing Conditions				
Panel Width				
Panel Height				
Box Width				
Box Height				
Box Depth				
Mounting Hole Centers				
Top of Panel				
Bottom of Panel				

Lanterns

Lantern Type - Car(s):	
<input type="checkbox"/> Car Lanterns	<input type="checkbox"/> Hall Lanterns
_____ Per Car	_____ Terminal
	_____ Intermediate

Lantern Design	
<input type="checkbox"/> Standard Size Flush Mount	
<input type="checkbox"/> Oversized Flush Mount	
<input type="checkbox"/> I-Line Surface Mount (Straight Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line PH Surface Mount	
<input type="checkbox"/> I-Line Premier Surface Mount	
<input type="checkbox"/> Front Servicable	<input type="checkbox"/> Soffit Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror




Handicap Chime	
<input type="checkbox"/> Yes	<input type="checkbox"/> No




Mounting	
<input type="checkbox"/> Horizontal Mount	<input type="checkbox"/> Vertical Mount



Lens Illumination (LED)	
<input type="checkbox"/> White (up) & White (down)	<input type="checkbox"/> Blue (up) & Blue (down)
<input type="checkbox"/> White (up) & Red (down)	<input type="checkbox"/> Green (up) & White (down)

Customer to Reuse Existing Items	
<input type="checkbox"/> Box (Advise existing size)	<input type="checkbox"/> Lamps and Sockets
<input type="checkbox"/> Light Baffle (Advise existing size)	<input type="checkbox"/> Handicap Chime

Lens Style

<input type="checkbox"/> 2.500" Arrow	<input type="checkbox"/> 2.500" Round	<input type="checkbox"/> 3.000" Equilateral
		
<input type="checkbox"/> Projecting	<input type="checkbox"/> Projecting	<i>Projecting Only</i>
<input type="checkbox"/> Flush	<input type="checkbox"/> Flush	

<input type="checkbox"/> Vandal Resist. - 7 Jewel	<input type="checkbox"/> Vandal Resist. - 3 Jewel	<input type="checkbox"/> Vandal Resist. Cut & Filled
		

<input type="checkbox"/> Digital	<input type="checkbox"/> 4" Front Servicable
	
<input type="checkbox"/> Digital - 2.500"	
<input type="checkbox"/> Digital - 3.000"	
	5/8" Projecting Only

Existing Conditions			
Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	

Position Indicators

Position Indicator Type - Car(s):

Car Position Indicator Hall Position Indicator
 _____ Req'd at Main Level Only
 _____ Req'd at all levels

Lantern Design

Standard Size Flush Mount
 Oversized Flush Mount
 I-Line Surface Mount (Straight Side - Black Sides & Ends)
 I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)
 I-Line PH Surface Mount I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Digital Position Indicator

Dot Matrix 1" Characters
 16 Segment 2" Characters

Multi-Light Position Indicator

Include UP & Down Arrows
 Round Indicators
 Square Indicators
 1" Cut-Thru & Filled
 2" Cut-Thru & Filled

Mounting

Horizontal Mount Vertical Mount

Customer to Reuse Existing Items


Box (Advise existing size) Lamps and Sockets
 Light Baffle (Advise existing size) Handicap Chime

Include Hall Lantern with Position Indicator ?


Yes No
 If "yes" please complete lantern options on right side of this page.

Lens Style


2.500" Arrow 2.500" Round 3.000" Equilateral



Projecting
 Flush





Projecting
 Flush




Projecting Only


Vandal Resist. - 7 Jewel Vandal Resist. - 3 Jewel Vandal Resist. Cut & Filled








Digital 4" Front Servicable



Digital - 2.500"
 Digital - 3.000"



5/8" Projecting Only

Lens Illumination (LED)

White (up) & White (down) Green (up) & White (down)
 White (up) & Red (down) Blue (up) & Blue (down)

Handicap Chime

Unless specified otherwise, Innovation will provide a handicap chime as part of the lantern / PI combo.

Existing Conditions

Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	

Lobby Panel

Number of Cars	
Number of Groups	

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Hinging	
<input type="checkbox"/> Right Side	<input type="checkbox"/> Left Side
<input type="checkbox"/> Bottom	<input type="checkbox"/> None

Digital Position Indicator		
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters	<input type="checkbox"/> .50" Characters
<input type="checkbox"/> 16 Segment	<input type="checkbox"/> 2" Characters	<small>(.50" Available in Segmented only)</small>


Existing Conditions	
Panel Width:	_____
Panel Height:	_____
Box Width:	_____
Box Height:	_____
Box Depth:	_____

Car and Groups Information		
Group No.	Cars in Group	Floors Served

Required Devices				
Specific Quantity	One (1) Per Car	One (1) Per Group	Locate In Cabinet	Keyswitches
				Car To Lobby Key Switch
				Controller Key Switch
				Emergency Power Key Switch
				Phase I Fire Service Keyswitch
				Card Reader Override
				Master Fire Service Keyswitch (2 Position - Chicago)
				Standby Power Keyswitch
Specific Quantity	One (1) Per Car	One (1) Per Group	Locate In Cabinet	Indicators
				Controller Indicator
				Emergency Power Indicator
				In Service Indicator
				Normal Power Indicator
				Out of Service Indicator
				Phase I Fire service Indicator
				Seismic Indicator
				Elevator At Level
				Door Open Indicator
				Standby Power Indicator
Specific Quantity	One (1) Per Car	One (1) Per Group	Locate In Cabinet	Options
				Digital Position Indicator
				Engraved Elevator Numbers, 1" Black Filled
				ANSI Phase I Fire Service Instructions
				Phone Jack
				Provisions to mount customer supplied intercom
				Provisions to mount customer supplied CRT unit
				Engraved Main Floor Egress Map Required


Additional information concerning this lobby panel is shown on the NOTES page.

Car Top Inspection Station




Qty: _____

Pit Switch



Qty: _____

6 VDC Alarm Bell



Qty: _____

4 x 4 Jamb Tags (Adhesive Backed)




- #4 Stainless on black
- #8 Stainless on black
- #4 Muntz on black
- #8 Muntz on black
- White characters on black

Two (2) required per car per landing

Qty: _____

MCCA Digital PI Controller



Qty: _____

