

Phone: 800-843-1004 / Fax: 479-968-7986 / Visit us at innovationind.com



- Anthony Keeling - Anthony.Keeling@innovationind.com - extension 626
- Cathy Storment - Cathy.Storment@innovationind.com - extension 662
- Cody Bird - Cody.Bird@innovationind.com - extension 656
- Hank McCormick - Hank.McCormick@innovationind.com - extension 605
- Jake Tyler - Jake.Tyler@innovationind.com - extension 674
- Jeremy McBride - Jeremy.McBride@innovationind.com - extension 632
- Joseph Grant - Joseph.Grant@innovationind.com - extension 669
- Josh Harrell - Josh.Harrell@innovationind.com - extension 671
- Josh McLeland - Josh.McLeland@innovationind.com - extension 618
- Keith Mainhart - Keith.Mainhart@innovationind.com - extension 648
- Michael James - Michael.James@innovationind.com - extension 632
- Suzanne Day - Suzanne.Day@innovationind.com - extension 655
- Thomas Foster - Thomas.Foster@innovationind.com - extension 644

From: _____

Company: _____

Phone: _____

Fax: _____

e-mail: _____

Project Name: _____

Project Location: _____

Please Provide Pricing By: _____

Car Stations

Car Station Type - Car(s):	
<input type="checkbox"/> Main	<input type="checkbox"/> Auxiliary

Car Station Design
<input type="checkbox"/> Applied (cover plate w/ beveled edge + box) <input type="checkbox"/> Hairline Joint (cover plate w/o beveled edge + box) <input type="checkbox"/> Sub-Plate (to be mounted behind new swing return) <input type="checkbox"/> Swing Return <input type="checkbox"/> w / dustcover <input type="checkbox"/> w/o dustcover ★ <input type="checkbox"/> Dover Mini-Swing ★

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Hinging
Standing inside car looking out door, car station is located on.... <input type="checkbox"/> Left Side <input type="checkbox"/> Right Side

Hands Free Phone
<input type="checkbox"/> Wurtec <input type="checkbox"/> K-Tech <input type="checkbox"/> Rath <input type="checkbox"/> EMS <input type="checkbox"/> Janus <input type="checkbox"/> Other: _____ <input type="checkbox"/> Mounted inside cabinet <input type="checkbox"/> Mounted integral with faceplate Phone provided by: <input type="checkbox"/> Innovation <input type="checkbox"/> Customer

Fire Service	Run - Stop	Braille	
<input type="checkbox"/> Per Code	<input type="checkbox"/> Push - Pull	<input type="checkbox"/> None	<input type="checkbox"/> California Code Compliant <input type="checkbox"/> Rectangle <input type="checkbox"/> Fishtail <input type="checkbox"/> Oval
<input type="checkbox"/> None Required	<input type="checkbox"/> Keypress	<input type="checkbox"/> Square	
	<input type="checkbox"/> Toggle	<input type="checkbox"/> Round	
	<input type="checkbox"/> In Svc Cab	<input type="checkbox"/> Oval	

Digital Position Indicator (with floor passing signal)
<input type="checkbox"/> Dot Matrix <input type="checkbox"/> 1" Characters <input type="checkbox"/> 16 Segment <input type="checkbox"/> 2" Characters

Pushbuttons			
<input type="checkbox"/> Alarm	<input type="checkbox"/> Up / Down	<input type="checkbox"/> Non-Stop	<input type="checkbox"/> "S" (Audible Signal)
<input type="checkbox"/> Door Open / Close	<input type="checkbox"/> Up / Down (in Svc. Cab)	<input type="checkbox"/> Non-Stop (in Svc. Cab)	
<input type="checkbox"/> Door Open / Close Rear	<input type="checkbox"/> Door Hold	<input type="checkbox"/> E-Light Test (in Svc. Cab)	

Keyswitches & Toggles			
<input type="checkbox"/> Keyswitches	<input type="checkbox"/> Toggles	<input type="checkbox"/> Locate in Service Cabinet	
<input type="checkbox"/> Light	<input type="checkbox"/> Independent Service	<input type="checkbox"/> Emerg. Light Test	<input type="checkbox"/> Code Blue
<input type="checkbox"/> Fan ____ Speed	<input type="checkbox"/> Inspection	<input type="checkbox"/> Emergency Service	<input type="checkbox"/> MA EMT
<input type="checkbox"/> Light / Fan ____ Speed	<input type="checkbox"/> Access Enable	<input type="checkbox"/> Hospital Service	
<input type="checkbox"/> Attendant	<input type="checkbox"/> Photoeye	<input type="checkbox"/> Other: _____	
<input type="checkbox"/> Floor Lockouts at level(s): _____			

Indicators			
<input type="checkbox"/> Code Blue	<input type="checkbox"/> Emergency Service	<input type="checkbox"/> Up / Down (in Svc. Cab)	<input type="checkbox"/> Up / Down
<input type="checkbox"/> MA EMT	<input type="checkbox"/> Hospital Service	<input type="checkbox"/> Seismic	<input type="checkbox"/> Other: _____

Engraving or Laser Etched Plates
<input type="checkbox"/> Engraving <input type="checkbox"/> Plates
<input type="checkbox"/> Capacity _____ LBS <input type="checkbox"/> Elevator No _____ <input type="checkbox"/> State ID No. _____ <input type="checkbox"/> Company Name or Logo <input type="checkbox"/> No Smoking Wording <input type="checkbox"/> No Smoking Symbol <input type="checkbox"/> No. of Passengers _____ <input type="checkbox"/> Certificate of Inspection on File in Building Office <input type="checkbox"/> Phase II Fire Service Instructions on panel <input type="checkbox"/> Phase II Fire Service Instructions <u>engraved</u> on back of Fireman's Service Cabinet

Options
<input type="checkbox"/> Service Cabinet <input type="checkbox"/> Certificate Window <input type="checkbox"/> Emergency Light <input type="checkbox"/> Multi-Light PI <input type="checkbox"/> Phone Jack <input type="checkbox"/> Voice Annunciator <input type="checkbox"/> Nudging Buzzer <input type="checkbox"/> Seismic Buzzer <input type="checkbox"/> Provisions for Customer Supplied Intercom <input type="checkbox"/> Provisions for Customer Supplied Card Reader <input type="checkbox"/> Medical Emergency Flashing Sign <input type="checkbox"/> 110 VAC GFI Outlet in Service Cabinet <input type="checkbox"/> Dimmer Switch in Service Cabinet <input type="checkbox"/> ASME 2019 Enhanced Elevator Communication

Existing Conditions	
Panel Width: _____	Return Width: _____
Panel Height: _____	Return Height: _____
Top of Panel: _____ AFF	Return Depth: _____
Bottom of Panel: _____ AFF	

AFF = Above Finished Floor

★ Please be advised that you must complete the Swing Return Survey Sheets prior to requesting approval drawings.

Additional information concerning this car station is shown on the NOTES page.

Hall Stations

Hall Station Design	
<input type="checkbox"/>	Standard Size Flush Mount
<input type="checkbox"/>	Oversized Flush Mount
<input type="checkbox"/>	I-Line Surface Mount (Straight Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line PH Surface Mount
<input type="checkbox"/>	I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Digital Position Indicator <i>in Hall Stations</i>		
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters	<input type="checkbox"/> .50" Characters <small>(.50" Available in Segmented only)</small>
<input type="checkbox"/> 16 Segment	<input type="checkbox"/> 2" Characters	
<input type="checkbox"/> Digital PI's required in ALL hall stations		
<input type="checkbox"/> Digital PI's required at SPECIFIC LEVELS ONLY		

<i>(List Specific Levels Here)</i>		

Braille	
<input type="checkbox"/> None	<input type="checkbox"/> Square <input type="checkbox"/> Round <input type="checkbox"/> Oval

Options	
<input type="checkbox"/>	Need SEPARATE hoistway access stations - with faceplates
<input type="checkbox"/>	Need SEPARATE hoistway access stations - coverless
<input type="checkbox"/>	ANSI 2009-10 Elevator Communication Failure / Phone Line Verification feature required.
<input type="checkbox"/>	ANSI 2008 Two Way Communication feature (intercom) provisions required. <i>Intercom provided and installed by customer. Innovation providing mounting provisions only.</i>

Serving Cars					
	Terminal or Intermediate	Terminal	Terminal	Intermediate	Intermediate
Quantity Each					
At Level(s)					
"UP" Pushbutton					
"DOWN" Pushbutton					
"CALL" Pushbutton					
"IN USE" Indicator					
Access Keyswitch (Advise Qty)					
Fire Service Keyswitch					
Fire Service Indicator					
Emergency Power Keyswitch					
Emergency Power Indicator (Advise Qty)					
Door Open Pushbutton					
Door Close Pushbutton					
Door Hold Pushbutton					
Appendix H or O Pictograph per local code					
Phase I Fire Service Instructions (engraved)					
Phase I Fire Service Instructions (insert)					
Man & Stairs Pictograph					
"Do Not Use Elevators" Wording					
Medical Emergency Flashing Sign					

Existing Conditions				
Panel Width				
Panel Height				
Box Width				
Box Height				
Box Depth				
Mounting Hole Centers				
Top of Panel				
Bottom of Panel				

Lanterns

Lantern Type - Car(s):	
<input type="checkbox"/> Car Lanterns	<input type="checkbox"/> Hall Lanterns
_____ Per Car	_____ Terminal
	_____ Intermediate

Lantern Design	
<input type="checkbox"/> Standard Size Flush Mount	
<input type="checkbox"/> Oversized Flush Mount	
<input type="checkbox"/> I-Line Surface Mount (Straight Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line PH Surface Mount	
<input type="checkbox"/> I-Line Premier Surface Mount	
<input type="checkbox"/> Front Servicable	<input type="checkbox"/> Soffit Mount









Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Handicap Chime	
<input type="checkbox"/> Yes	<input type="checkbox"/> No

Mounting	
<input type="checkbox"/> Horizontal Mount	<input type="checkbox"/> Vertical Mount

Lens Illumination (LED)	
<input type="checkbox"/> White (up) & White (down)	<input type="checkbox"/> Blue (up) & Blue (down)
<input type="checkbox"/> White (up) & Red (down)	<input type="checkbox"/> Green (up) & Red (down)

Customer to Reuse Existing Items	
<input type="checkbox"/> Box (Advise existing size)	<input type="checkbox"/> Lamps and Sockets
<input type="checkbox"/> Light Baffle (Advise existing size)	<input type="checkbox"/> Handicap Chime

Lens Style		
<input type="checkbox"/> 2.500" Arrow	<input type="checkbox"/> 2.500" Round	<input type="checkbox"/> 3.000" Equilateral
		
<input type="checkbox"/> Projecting	<input type="checkbox"/> Projecting	<i>Projecting Only</i>
<input type="checkbox"/> Flush	<input type="checkbox"/> Flush	
<input type="checkbox"/> Vandal Resist. - 7 Jewel	<input type="checkbox"/> Vandal Resist. - 3 Jewel	<input type="checkbox"/> Vandal Resist. Cut & Filled
		
<input type="checkbox"/> Digital	<input type="checkbox"/> 4" Front Servicable	
		
<input type="checkbox"/> Digital - 2.500"		
<input type="checkbox"/> Digital - 3.000"		
		5/8" Projecting Only

Existing Conditions			
Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	

Position Indicators

Position Indicator Type - Car(s):

Car Position Indicator Hall Position Indicator
 _____ Req'd at Main Level Only
 _____ Req'd at all levels

Lantern Design

Standard Size Flush Mount
 Oversized Flush Mount
 I-Line Surface Mount (Straight Side - Black Sides & Ends)
 I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)
 I-Line PH Surface Mount I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #6 Satin (220 Grit)
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> #8 Mirror

Digital Position Indicator

Dot Matrix 1" Characters
 16 Segment 2" Characters

Multi-Light Position Indicator

Include UP & Down Arrows
 Round Indicators
 Square Indicators
 1" Cut-Thru & Filled
 2" Cut-Thru & Filled

Mounting

Horizontal Mount Vertical Mount

Customer to Reuse Existing Items


Box (Advise existing size) Lamps and Sockets
 Light Baffle (Advise existing size) Handicap Chime

Include Hall Lantern with Position Indicator ?


Yes No
 If "yes" please complete lantern options on right side of this page.

Lens Style


2.500" Arrow 2.500" Round 3.000" Equilateral



Projecting
 Flush





Projecting
 Flush




Projecting Only


Vandal Resist. - 7 Jewel Vandal Resist. - 3 Jewel Vandal Resist. Cut & Filled








Digital 4" Front Servicable



Digital - 2.500"
 Digital - 3.000"



5/8" Projecting Only

Lens Illumination (LED)

White (up) & White (down) Green (up) & Red (down)
 White (up) & Red (down) Blue (up) & Blue (down)

Handicap Chime


Unless specified otherwise, Innovation will provide a handicap chime as part of the lantern / PI combo.

Existing Conditions

Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	


Additional information concerning these position indicators is shown on the NOTES page.

Car Top Inspection Station




Qty: _____

Pit Switch



Qty: _____

6 VDC Alarm Bell



Qty: _____

4 x 4 Jamb Tags (Adhesive Backed)




- #4 Stainless on black
- #8 Stainless on black
- #4 Muntz on black
- #8 Muntz on black
- White characters on black

Two (2) required per car per landing

Qty: _____

MCCA Digital PI Controller



Qty: _____

