

Phone: 800-843-1004 / visit us at [innovationind.com](http://innovationind.com)



- Ashley Cook - [ashley.cook@innovationind.com](mailto:ashley.cook@innovationind.com) - ext 630
- Bailey Dotson - [bailey.dotson@innovationind.com](mailto:bailey.dotson@innovationind.com) - ext 626
- Mariah Carothers - [mariah.carothers@innovationind.com](mailto:mariah.carothers@innovationind.com) - ext 662
- Jake Tyler - [jake.tyler@innovationind.com](mailto:jake.tyler@innovationind.com) - ext 674
- Jenny Alonso - [jenny.alonso@innovationind.com](mailto:jenny.alonso@innovationind.com) - ext 605
- Joseph Grant - [joseph.grant@innovationind.com](mailto:joseph.grant@innovationind.com) - ext 669
- Idaly Nava - [idaly.nava@innovationind.com](mailto:idaly.nava@innovationind.com) - ext 656
- Josh McLeland - [josh.mcleland@innovationind.com](mailto:josh.mcleland@innovationind.com) - ext 618
- Keith Mainhart - [keith.mainhart@innovationind.com](mailto:keith.mainhart@innovationind.com) - ext 648
- Dalton Day - [dalton.day@innovationind.com](mailto:dalton.day@innovationind.com) - ext 605
- Suzanne Day - [suzanne.day@innovationind.com](mailto:suzanne.day@innovationind.com) - ext 655
- Sarah Floyd - [sarah.floyd@innovationind.com](mailto:sarah.floyd@innovationind.com) - ext 671
- Travis Riggs - [travis.riggs@innovationind.com](mailto:travis.riggs@innovationind.com) - ext 685
- Nikki Johnston - [nikki.johnston@innovationind.com](mailto:nikki.johnston@innovationind.com) - ext 632

From: \_\_\_\_\_

Company: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone: \_\_\_\_\_

e-mail: \_\_\_\_\_

Project Name: \_\_\_\_\_

Project City/State: \_\_\_\_\_

Please Provide Pricing By: \_\_\_\_\_



# Car Stations

**Car Station Type - Car(s):**

Main       Auxiliary

**Car Station Design**

Applied (cover plate w/ beveled edge + box)  
 US Mini Swing  
 Hairline Joint (cover plate w/o beveled edge + box)  
 US Full Swing  
 Sub-Plate (to be mounted behind new swing return)  
 Tilt Return  
 Swing Return  w / dustcover     w/o dustcover  
 Dover Full Swing  
 Dover Mini-Swing       NEMA 4     NEMA 4X

Material	Finish
<input type="checkbox"/> Stainless Steel (304)	#4 Brush (150 Grit)
<input type="checkbox"/> Stainless Steel (316L)	#6 Satin (220 Grit)
<input type="checkbox"/> Muntz (60/40)	#8 Mirror
<input type="checkbox"/> Bronze (90/10)	Light Oxidized
	Medium Oxidized
	Dark Oxidized

**Hinging**

Standing inside car looking out door, car station is located on...

Left Side     Right Side

**Hands Free Phone**

Wurtec     K-Tech     Rath

Other: \_\_\_\_\_

Mounted inside cabinet

Mounted Integral with faceplate

Phone provided by:     Innovation     Customer

Fire Service	Run - Stop	Braille
<input type="checkbox"/> Per Code	<input type="checkbox"/> Push - Pull	<input type="checkbox"/> None
<input type="checkbox"/> None Required	<input type="checkbox"/> Keypress	<input type="checkbox"/> Square
	<input type="checkbox"/> Toggle	<input type="checkbox"/> Round
	<input type="checkbox"/> In Svc Cab	<input type="checkbox"/> Oval
		<input type="checkbox"/> None <span style="color: red;">CA Code Compliant</span>
		<input type="checkbox"/> Square <span style="color: red;">Rectangle</span>
		<input type="checkbox"/> Round <span style="color: red;">Fishtail</span>
		<input type="checkbox"/> Oval <span style="color: red;">Oval</span>

**Digital Position Indicator (with floor passing signal)**

Dot Matrix       1" Characters

16 Segment       2" Characters

**Pushbuttons**

Alarm       Up / Down       Non-Stop       "S" (Audible Signal)

Door Open / Close       Up / Down (in Svc. Cab)       Non-Stop (in Svc. Cab)       Door Stop/Reset

Door Open / Close Rear       Door Hold       L-Light I EST (in Svc. Cab)

**Keyswitches & Toggles**

Keyswitches       Toggles       Locate in Service Cabinet

Light       Independent Service       Emerg. Light Test       Code Blue

Fan \_\_\_\_ Speed       Inspection       Emergency Service       MA EMT

Light / Fan \_\_\_\_ Speed       Access Enable       Hospital Service

Attendant       Photoeye       Other: \_\_\_\_\_

Floor Lockouts at level(s): \_\_\_\_\_

**Indicators**

Code Blue       Emergency Service       Up / Down (in Svc. Cab)       Up / Down

MA EMT       Hospital Service       Seismic       Other: \_\_\_\_\_

**Engraving or Laser Etched Plates**

Engraving     Plates

Capacity \_\_\_\_\_ LBS

Elevator No. \_\_\_\_\_

State ID No. \_\_\_\_\_

Company Name or Logo

No Smoking Wording

No Smoking Symbol

No. of Passengers \_\_\_\_\_

Certificate of Inspection on File in Building Office

Phase II Fire Service Instructions on panel

Phase II Fire Service Instructions engraved on back of Fireman's Service Cabinet

**Options**

Service Cabinet     Certificate Window

Emergency Light     Multi-Light PI

Phone Jack       Voice Annunciator

Nudging Buzzer     Seismic Buzzer

Provisions for Customer Supplied Intercom

Provisions for Customer Supplied Card Reader

Medical Emergency Flashing Sign

110 VAC GFI Outlet in Service Cabinet

Dimmer Switch in Service Cabinet

ASME 2019 Enhanced Elevator Communication

USB Port       Master Volume Control

**Existing Conditions**

Panel Width: \_\_\_\_\_      Return Width: \_\_\_\_\_

Panel Height: \_\_\_\_\_      Return Height: \_\_\_\_\_

Top of Panel: \_\_\_\_\_ AFF      Return Depth: \_\_\_\_\_

Bottom of Panel: \_\_\_\_\_ AFF

*AFF = Above Finished Floor*

★ Please be advised that you must complete the Swing Return Survey Sheets prior to requesting approval drawings.

# Hall Stations

Hall Station Design	
<input type="checkbox"/>	Standard Size Flush Mount
<input type="checkbox"/>	I-Line Ultra
<input type="checkbox"/>	I-Line Surface Mount (Straight Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)
<input type="checkbox"/>	I-Line PH Surface Mount
<input type="checkbox"/>	I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (304)	#4 Brush (150 Grit)
<input type="checkbox"/> Stainless Steel (316L)	#6 Satin (220 Grit)
<input type="checkbox"/> Muntz (60/40)	#8 Mirror
<input type="checkbox"/> Bronze (90/10)	Light Oxidized
	Medium Oxidized
	Dark Oxidized

Digital Position Indicator <i>in Hall Stations</i>	
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters
<input type="checkbox"/> 16 Segment	<input type="checkbox"/> 2" Characters
<input type="checkbox"/> Digital PI's required in ALL hall stations	<input type="checkbox"/> .50" Characters <small>(.50" Available in Segmented only)</small>
<input type="checkbox"/> Digital PI's required at SPECIFIC LEVELS ONLY	
_____	
<i>(List Specific Levels Here)</i>	

Braille	
<input type="checkbox"/> None	<input type="checkbox"/> Square
<input type="checkbox"/> Round	<input type="checkbox"/> Oval

Options	
<input type="checkbox"/>	Need SEPARATE hoistway access stations - with faceplates
<input type="checkbox"/>	Need SEPARATE hoistway access stations - coverless
<input type="checkbox"/>	Sightguard Access
<input type="checkbox"/>	ANSI 2009-10 Elevator Communication Failure / Phone Line Verification feature required.
<input type="checkbox"/>	ANSI 2008 Two Way Communication feature (intercom) provisions required.
	<i>Intercom provided and installed by customer. Innovation providing mounting provisions only.</i>

Serving Cars	Terminal or Intermediate	Terminal	Terminal	Intermediate	Intermediate
Quantity Each					
At Level(s)					
"UP" Pushbutton					
"DOWN" Pushbutton					
"CALL" Pushbutton					
"IN USE" Indicator					
Access Keyswitch (Advise Qty)					
Fire Service Keyswitch					
Fire Service Indicator					
Emergency Power Keyswitch					
Emergency Power Indicator (Advise Qty)					
Door Open Pushbutton					
Door Close Pushbutton					
Door Hold Pushbutton					
Appendix H or O Pictograph per local code					
Phase I Fire Service Instructions (engraved)					
Phase I Fire Service Instructions (insert)					
Man & Stairs Pictograph					
"Do Not Use Elevators" Wording					
Medical Emergency Flashing Sign					

Existing Conditions					
Panel Width					
Panel Height					
Box Width					
Box Height					
Box Depth					
Mounting Hole Centers					
Top of Panel					
Bottom of Panel					



Additional information concerning these hall stations is shown on the NOTES page.

# Lanterns

Lantern Type - Car(s):	
<input type="checkbox"/> Car Lanterns	<input type="checkbox"/> Hall Lanterns
_____ Per Car	_____ Terminal
	_____ Intermediate

Lantern Design	
<input type="checkbox"/> Standard Size Flush Mount	
<input type="checkbox"/> I-Line Ultra	
<input type="checkbox"/> I-Line Surface Mount (Straight Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line PH Surface Mount	
<input type="checkbox"/> I-Line Premier Surface Mount	
<input type="checkbox"/> Front Servicable	<input type="checkbox"/> Soffit Mount




Material	Finish
<input type="checkbox"/> Stainless Steel (304)	#4 Brush (150 Grit)
<input type="checkbox"/> Stainless Steel (316L)	#6 Satin (220 Grit)
<input type="checkbox"/> Muntz (60/40)	#8 Mirror
<input type="checkbox"/> Bronze (90/10)	Light Oxidized
	Medium Oxidized
	Dark Oxidized




Handicap Chime	
<input type="checkbox"/> Yes	<input type="checkbox"/> No



Mounting	
<input type="checkbox"/> Horizontal Mount	<input type="checkbox"/> Vertical Mount

Lens Illumination (LED)	
<input type="checkbox"/> White (up) & White (down)	<input type="checkbox"/> Blue (up) & Blue (down)
<input type="checkbox"/> White (up) & Red (down)	<input type="checkbox"/> Green (up) & Red (down)

Customer to Reuse Existing Items	
<input type="checkbox"/> Box (Advise existing size)	<input type="checkbox"/> Lamps and Sockets
<input type="checkbox"/> Light Baffle (Advise existing size)	<input type="checkbox"/> Handicap Chime

Lens Style		
<input type="checkbox"/> 2.500" Arrow	<input type="checkbox"/> 2.500" Round	<input type="checkbox"/> 3.000" Equilateral
		
<input type="checkbox"/> Projecting	<input type="checkbox"/> Projecting	<i>Projecting Only</i>
<input type="checkbox"/> Flush	<input type="checkbox"/> Flush	

<input type="checkbox"/> Vandal Resist. - 7 Jewel	<input type="checkbox"/> Vandal Resist. - 3 Jewel	<input type="checkbox"/> Vandal Resist. Cut & Filled
		

<input type="checkbox"/> Digital	<input type="checkbox"/> 4" Front Servicable
	
<input type="checkbox"/> Digital - 2.500"	
<input type="checkbox"/> Digital - 3.000"	
	<i>5/8\" Projecting Only</i>

Existing Conditions			
Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	



Additional information concerning these hall stations is shown on the NOTES page.

# Position Indicators

Position Indicator Type - Car(s):	
<input type="checkbox"/> Car Position Indicator	<input type="checkbox"/> Hall Position Indicator
_____ Req'd at Main Level Only	
_____ Req'd at all levels	

Lantern Design	
<input type="checkbox"/> Standard Size Flush Mount	
<input type="checkbox"/> I-Line Ultra	
<input type="checkbox"/> I-Line Surface Mount (Straight Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line 50 SL Surface Mount (Slanted Side - Black Sides & Ends)	
<input type="checkbox"/> I-Line PH Surface Mount	<input type="checkbox"/> I-Line Premier Surface Mount

Material	Finish
<input type="checkbox"/> Stainless Steel (304)	#4 Brush (150 Grit)
<input type="checkbox"/> Stainless Steel (316L)	#6 Satin (220 Grit)
<input type="checkbox"/> Muntz (60/40)	#8 Mirror
<input type="checkbox"/> Bronze (90/10)	Light Oxidized
	Medium Oxidized
	Dark Oxidized




Digital Position Indicator	
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters
<input type="checkbox"/> 16 Segment	<input type="checkbox"/> 2" Characters




Multi-Light Position Indicator	
<input type="checkbox"/> Include UP & Down Arrows	
<input type="checkbox"/> Round Indicators	
<input type="checkbox"/> Square Indicators	
<input type="checkbox"/> 1" Cut-Thru & Filled	
<input type="checkbox"/> 2" Cut-Thru & Filled	



Mounting	
<input type="checkbox"/> Horizontal Mount	<input type="checkbox"/> Vertical Mount

Customer to Reuse Existing Items	
<input type="checkbox"/> Box (Advise existing size)	<input type="checkbox"/> Lamps and Sockets
<input type="checkbox"/> Light Baffle (Advise existing size)	<input type="checkbox"/> Handicap Chime

Include Hall Lantern with Position Indicator ?	
<input type="checkbox"/> Yes	<input type="checkbox"/> No
If "yes" please complete lantern options on right side of this page.	

Lens Style		
<input type="checkbox"/> 2.500" Arrow	<input type="checkbox"/> 2.500" Round	<input type="checkbox"/> 3.000" Equilateral
		
<input type="checkbox"/> Projecting	<input type="checkbox"/> Projecting	<i>Projecting Only</i>
<input type="checkbox"/> Flush	<input type="checkbox"/> Flush	

<input type="checkbox"/> Vandal Resist. - 7 Jewel	<input type="checkbox"/> Vandal Resist. - 3 Jewel	<input type="checkbox"/> Vandal Resist. Cut & Filled
		

<input type="checkbox"/> Digital	<input type="checkbox"/> 4" Front Servicable
	
<input type="checkbox"/> Digital - 2.500"	<i>5/8\" Projecting Only</i>
<input type="checkbox"/> Digital - 3.000"	


Lens Illumination (LED)	
<input type="checkbox"/> White (up) & White (down)	<input type="checkbox"/> Green (up) & Red (down)
<input type="checkbox"/> White (up) & Red (down)	<input type="checkbox"/> Blue (up) & Blue (down)

Handicap Chime	
Unless specified otherwise, Innovation will provide a handicap chime as part of the lantern / PI combo.	

Existing Conditions			
Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	




## Car Top Inspection Station




Qty: \_\_\_\_\_

## Pit Switch



Qty: \_\_\_\_\_

## 6 VDC Alarm Bell



Qty: \_\_\_\_\_

## 4 x 4 Jamb Tags (Adhesive Backed)




- #4 Stainless on black
- #8 Stainless on black
- #4 Muntz on black
- #8 Muntz on black
- White characters on black

Two (2) required per car per landing

Qty: \_\_\_\_\_

## MCCA Digital PI Controller



Qty: \_\_\_\_\_

